PetroReyden

PET 805

Bottle Grade



Analysis Result

ANALYSIS ITEM	UNIT	TYPICAL VALUE	TEST METHOD
INTRINSIC VISCOSITY	dl/g	0.8 ± 0.02	UBBELHODE
DEG CONTENT	%wt	Max 2.0	GC
COLOR (CIE LAB)	L	≥90	SPECTROSCOPY
	b	≤ 2	SPECTROSCOPY
CARBOXYL END GROUP	meq/k g	Max 32	AUTO TITRATION
MELTING POINT	°C	249 ± 2	DSC
ACETALDEHYDE	ppm	Max 1.0	HEAD SPACE-GC
WATER CONTENT	%wt	Max 0.3	KARL-FISHER

Note: Moisture be determined before packing.

IMPORTANT: The information and data presented herein are based on values from respective product manufacture. Therefore, no warranty or guarantee, expressed or implied, is made nor is any accountability accepted with respect to the use of such information and data. All mentioned data are typical values and not to be considered as legally binding specification.